



DPW | SOLAR


PIP **PREFORMED** LINE PRODUCTS

QUALITY MOUNTING HARDWARE SOLUTIONS FOR THE PV SOLAR INDUSTRY

POWER-FAB[®]




Mounting Hardware Solutions for Any Solar Application




Solutions Key




1. Top-of-Pole Mounts



2. POWER-FAB® CRS Mounts




3. Power Rail™ Mounts




4. Ground Mounts



5. Power Box™ Enclosures



6. Side-of-Pole Mounts



7. Power Rail™ Awning Mounts

PRODUCTS FOR PV SOLAR MOUNTING APPLICATIONS

ROOF MOUNT SYSTEMS



POWER-FAB® CRS Mounts (CRS)

- **Non-penetrating**, tilted mount commercial flat roof system
- Full scale wind tunnel tested and qualified – low ballast weight
- Secure bolt-together construction - no field drilling, cutting or measuring
- EPDM rubber base (included) protects roof surfaces
- Maximize power output with tighter module spacing and up to 25° tilt angles
- Ballast pans accept standard concrete “cap” blocks



Ballasted Power Rail™ Mounts (BPRM)

- **Non-penetrating**, flush mount commercial flat roof system
- Utilizes the Power Rail™ top-clamping system with Lock-in-Place RAD™ Bolts
- High density, high energy output per square foot
- EPDM rubber (included) protects roof surfaces
- Full scale wind tunnel tested – low ballast weight



POWER GRID™ Mounts (PGM)

- **Non-penetrating**, flush mount commercial flat roof system
- Securely mounts most frameless thin film or framed modules
- High density, high energy output per square foot
- EPDM rubber base (included) protects roof surfaces
- Full scale wind tunnel tested – low ballast weight



Ballasted Roof Mounts (BRM)

- **Non-penetrating**, ballasted, flat roof system
- Module tilt angles up to 45°
- Utilizes the Power Rail™ top-clamping system with Lock-in-Place RAD™ Bolts
- Ballast pans accept standard concrete “cap” blocks
- EPDM rubber base (included) protects roof surfaces



Power Rail™ Mounts (PRM)

- High strength, top-clamping mounting system with Lock-in-Place RAD™ Bolts
- Parallel to roof or tilted mount applications
- P6, P8, and P14 rail options for optimal span-to-cost ratio
- Single tool assembly
- Mounting feet and attachment options available for any style roof application

GROUND MOUNT SYSTEMS



Power Peak™

- Designed for Large Scale applications featuring fewer components
- Modules mounted in portrait or landscape
- Structures optimized to specific site requirements
- Securely mounts most frameless thin film and framed modules
- Features Lock-in-Place RAD™ Bolts



Multi-Pole Mounts (MPM-G2)

- Designed to mount on 3" or 4" SCH 40/80 pipe (installer supplied)
- Fewer ground penetrations than traditional ground mount systems, saving labor and materials
- Optional ground clearance – ideal for shade structures or car ports
- Under-flange module clamp for easier installation and improved aesthetics



Large Ground Mounts (LGM)

- Fixed tilt, easy to assemble pipe structures
- Designed to specific site requirements
- Power Rail™ top-clamping system
- TIG-welded, high strength aluminum fittings
- Schedule 40 pipe supplied by installer

POLE MOUNT SYSTEMS



Top-of-Pole Mounts (TPM)

- Heavy gauge steel and aluminum construction
- Securely mount 1 to 24 modules on a single pole
- Module-specific design reduces parts and assembly time
- Preset holes eliminate measuring and drilling
- Seasonal elevation adjustments from 15° to 65°
- Mounts on standard Schedule 40 or 80 rigid steel pipe



Side-of-Pole Mounts (SPM)

- Available in painted steel or mill-finish aluminum construction
- Mounting options include band clamps, u-bolts or through bolts
- Adjustable tilt angle
- Heavy duty stainless steel mounting hardware
- Tower mounting options available



DPW SOLAR – INNOVATIVE SOLUTIONS AND RELIABLE HARDWARE FOR ANY SOLAR APPLICATION

DPW Solar specializes in engineering, designing and manufacturing a wide array of photovoltaic racks and equipment enclosures for residential, commercial and industrial applications.

We know solar power systems, and we know what it takes to provide the right combination of innovative products and proven technologies. Our relentless drive to develop innovative product solutions is matched only by our dedication to providing reliable customer support. No matter what your application demands, we have the right set of solutions to meet your needs.



 **PREFORMED** LINE PRODUCTS

4000 B Vassar Dr. NE
Albuquerque, NM 87107

Telephone: 800.260.3792
Fax: 505.889.3548
Web Site: www.DPWSolar.com
E-mail: info@power-fab.com

© 2012 Preformed Line Products Company
Printed in the U.S.A.
SL-BR-1003-6
01.12.3M